Faux Wood Shutters FR



12620-3 BEACH BLVD #231 JACKSONVILLE FLORIDA 32246 T. 904.223.8358 F. 904.223.8359 E. samples@sunbornshading.com www.sunbornshading.com



From traditional to contemporary, casual to formal, you can add dramatic light control with our energy efficient shutters. Our Faux Wood Shutters FR combine the traditional warmth and beauty of natural wood with the practical advantage of high-tech materials and design. Ruggedized cap stock enhances surface integrity to resist moisture, heat and UV rays, making it the perfect solution for high humidity areas. No fading, chipping, warping or denting. Shutters....timeless beauty then and now.

Features

- 2 1/2 3 1/2 and 4 1/2 -inch louvers
- Resists moisture, heat and UV rays
- Lightweight, will not chip, warp, fade or dent
- High thermal insulation value for energy efficiency
- Fire retardant passes NFPA 701



Color Selection Color and texture swatches may vary slightly from actual materials. Please refer to sample deck for exact color match. Aspen Fleece

Product Specifications

PANEL CONFIGURATIONS

APPLICATIONS

Inside Mount Windows Outside Mount Windows Patio Doors

Standard Panels

Louver Size:
WIDTH Min. Panel Size (single panel) Max. Panel Size (single panel)
Max. Panel Size (Bifold)
HEIGHT Min. Panel Height: Max. Panel Height: Panels over 60" require divider rail

Non-mortise Hinge Colors:

- Color coordinated to louver color
- Brass plated

FRAME STYLES

2 ½"

12"

28''

20''

20''

120''

- •L Frame (outside mount)
- Curved L Frame (outside mount)
- •Small & Large Z Frame (inside mount)
- Designer Frame (inside mount)
- •Sill Frame (for window sills)
- Hang Strip only (inside mount, no frame)

3 ½"

12"

30''

20"

20"

120''

AVAILABLE CONFIGURATIONS

- •Standard Hinge System
- Bifold System

4 ½"

12"

32''


20''


20''

120''

• Bypass System

	— Frame
	— Hinge
Left Panel Right Panel	











3 Sided = 3 3 Sided Inverted = 31